

Natural Choice Products Ltd
Safety Data Sheet
Multi-Purpose Sanitizer Cleaner

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Multi-Purpose Sanitizer Cleaner
Recommended Uses: Surface cleaning
Supplier Name: Natural Choice Products Ltd
Address: 4/26 Bancroft Crescent, Glendene, Auckland
Telephone: (+64) 9 441 4238
Website: www.naturalchoice.co.nz

Emergency Phone: National Poisons Centre
0800 POISON (0800 764 766)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Aquatic Hazard Category 2
Respiratory Sensitizer Category 1
Serious Eye Damage Category 1
Skin Corrosion/Irritation Category 2
Skin Sensitizer Category 1



EMERGENCY OVERVIEW HAZARD DANGER

Determined by Chemwatch using GHS/HSNO criteria:

3.1D, 6.1E, 6.3A, 6.4A, 8.2C, 9.3A, 9.1A, 9.3C

Causes skin irritation

May cause allergic or asthmatic symptoms or breathing difficulties if inhaled

May cause allergic skin reaction

Toxic to aquatic life

Causes serious eye damage

PRECAUTIONARY STATEMENTS

Prevention

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Response

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

3. COMPOSITION: Information on Ingredients

Ingredient Name	CAS Number	Concentration % w/w
Benzyl-C12-16-alkyldimethylammonium chloride	68424-85-1	< 0.5
Ethanol, 2-butoxy-	111-76-2	< 0.5
Alcohols, C12-15, ethoxylated	68131-39-5	< 0.5
Disodium metasilicate	6834-92-0	< 0.5
Tetrasodium EDTA	64-02-8	< 0.5

Other ingredients, determined not to be hazardous subject to the provisions of the Hazardous Substances (Identification) Regulations 2001, make up the product concentration to 100%.

4. FIRST AID MEASURES

For advice, contact National Poisons Centre (0800 POISON; 0800 764 766) or a doctor.

Have product container or label available.

Swallowed

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.
- For advice, contact a Poisons Information Centre or a doctor.

Skin

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

Eye

- If in eyes, hold eyelids apart and flush the eye continuously with running water.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.

Inhalation

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained.

First Aid facilities

Perform CPR if necessary.

Advice to Physician

Treat symptomatically

5. FIRE FIGHTING MEASURES

Flash Point:	Not available
Auto ignition Temperature:	Not available
Flammable Limits in Air % by Volume:	Not available
Extinguishing Media:	All
Fire Fighting Instructions:	Noncombustible
Unusual Fire and Explosion Hazards:	Not considered a significant fire risk, however containers may burn. May emit corrosive fumes

6. ACCIDENTAL RELEASE MEASURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Personal Protective Equipment advice is contained in Section 8 of the MSDS.

7. HANDLING AND STORAGE

Precautions for safe handling:

- DO NOT allow clothing wet with material to stay in contact with skin.
- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

Suitable Containers:

- Lined metal can, lined metal pail/ can.
- Plastic pail.
- Polyline drum.

Storage Requirements:

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

8. EXPOSURE CONTROLS: PERSONAL PROTECTION

Health Exposure Standards:

Source	Material	TWA ppm	TWA mg/m ³	STEL mg/m ³	STEL ppm	Peak mg/m ³
Ethanol, 2-butoxy-			760			

The following materials had no OELs on our records

Water: CAS:7732-18-5

Alcohols, C12-15, ethoxylated CAS: 68131-39-5

Personal Protective Equipment

Type A-P Filter of sufficient capacity

EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

HANDS/FEET

- Wear chemical protective gloves, eg. PVC
- Wear safety footwear or safety gumboots, eg. Rubber.

NOTE:

- The material may produce skin sensitization in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. Suitability and durability of glove type is dependent on usage.
- Important factors in the selection of gloves include: such as:
 - frequency and duration of contact,
 - chemical resistance of glove material,
 - glove thickness and
 - dexterity.

OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.

Engineering Controls

- Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid or Clear Gel
Colour:	Purple
Odour:	Not Available
Melting Point:	Not Available
Vapour pressure:	Not Available
Specific gravity:	1
Flash point	Not Available

Vapour density
PH

Not Available
Ph12-12.5

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at room temperature and pressure

Conditions to avoid: None identified.

Material to avoid: None identified.

Hazardous decomposition products: These products are carbon oxides (CO, CO₂), Some metallic oxides.

Hazardous reactions: No hazardous reactions expected.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

Ingestion: Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual if swallowed, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health).

Eye contact: Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterized by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.

Skin contact: Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions

Inhalation: The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation, of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.

Chronic effects:

Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.

Limited evidence shows that inhalation of the material is capable of inducing a sensitization reaction in a significant number of individuals at a greater frequency than would be expected from the response of a normal population.

Pulmonary sensitization, resulting in hyperactive airway dysfunction and pulmonary allergy may be accompanied by fatigue, malaise and aching.

There exists limited evidence that shows that skin contact with the material is capable either of inducing a sensitization reaction in a significant number of individuals, and/or of producing positive response in experimental animals. Rats, rabbits, guinea pigs and monkeys exposed to DPME, 7 hr/day, 5 days a week for periods of 6-8 months to saturated atmospheres (300 ppm), exhibited little effect. Narcotic effects were produced in rats. repeated exposure may cause sensitization and/or allergic reactions.

Skin

Alcohols, C12-15 Ethoxylated	New Zealand Workplace Exposure Standards (WES)	Skin
Ethanol, 2-butoxy-	Exposure Standards (WES)	Skin
Benzyl-C12-16-alkyldimethylammonium chloride	Exposure Standards (WES)	Skin

12. ECOLOGICAL INFORMATION

Toxic to aquatic organisms.

Ecotoxicity Ingredient	Persistence Water/Soil: Mobility	Persistence: Air	Bioaccumulation	Mobility
Alcohols, C12-15, ethoxylated	LOW		LOW	HIGH
Ethanol, 2-butoxy	LOW		LOW	HIGH
Water	LOW		LOW	HIGH

Benzyl-C12-16-alkyldimethylammonium chloride R PHRASE: R 38 [CHEMWATCH]

13. DISPOSAL CONSIDERATION

Recycle where possible Otherwise ensure that:

licenced contractors dispose of the product and its container.

disposal occurs at a licensed facility

14. TRANSPORT INFORMATION

HAZCHEM:

None

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: UN, IATA, IMDG

15. REGULATORY INFORMATION

ERMA NZ Registration Number: HSR002530

ERMA Group Standard: Cleaning Products (Subsidiary Hazard)) Group Standard 2006

HSNO Classifications:

- 3.1D: Flammable liquid - low hazard
- 6.1E: Substances that are acutely toxic, May be harmful, Aspiration hazard
- 6.3A: Substances that are irritating to the skin
- 6.4A: Substances that are irritating to the eye
- 8.2C: Substances that are corrosive to dermal tissue UN PGIII
- 8.3A: Substances that are corrosive to ocular tissue
- 9.1A: Substances that are very ecotoxic in the aquatic environment
- 9.1D: Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action
- 9.3C: Substances that are harmful to terrestrial vertebrates

16. Other Information

Date of previous issue: 13/01/2019

New Zealand National Poison Information Centre (24 hours): 0800 POISON [764 766]

New Zealand Emergency Services: 111

For General Information: Natural Choice Products Ltd

PH: (09) 441 4238

Natural Choice Products Ltd has taken care in compiling this information. No liability is accepted directly or indirectly from its application as conditions of use are outside the Company's control. End users are obliged to conform to relevant Local Government regulation.